



◆ SPECIFICATION

Model NO.	FHDD-28
Video Output Mode	AHD/TVI/CVI/CVBS
Camera	
Image Sensor	IMX322
DSP	HTC1080
Image Resolution	1080P/960H
Effective Pixels	2.4MP, 1920x1080
TV System	PAL/NTSC
Electronic Shutter	1/25s~1/50,000s, 1/30s~1/60,000s
S/N Ratio	≥50dB
Scanning System	Progressive Scan
Lens	
Focus Length	Board Lens 3.6mm/F2.0
Focus Control	Fixed
Lens Type	Fixed
Pixels	2M Pixels
Auto Iris Support	NO
Night Vision	
Infrared LED	☉5 (12μ) x 24PCS (14μ x 18PCS Optional)
Infrared Distance	20M
IR Status	Under 10 Lux by CDS
IR Power On	CDS Auto Control
Camera Features	
Day/Night	Auto (ICR) / Color / B&W
OSD Menu Language	YES
White Balance	Auto/Manual
Gain Control	Auto
Noise Reduction	3D NR
Picture Adjustment	YES
WDR	DWDR
OSD Support	YES
UTC	YES
General	
Housing	Metal
Bracket	YES, Anti-Cut Bracket
Dual Voltage	NO
IR Cut Filter	YES
Heater	NO
Operation Temperature	-10°C ~ +50°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%, 500mA
Dimension	☉ 94 x 69(H) mm
Weight	500g